

SHUTTER SWITCH



AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

Embedding depth	26.4mm
Module Material	Gavanized Steel
Frame Material	Q235
Contacts Material	AgCdO
Current Capacity	10AX 250V~
Poles	Single Pole
Type of terminals	Steel Pillar

SPECIFICATIONS

Code No.	Model No.	Body Color
LI533121	SWK3PPSHTR	Gold
LI533122	SWK3PPSHTR	Brushed Silver
LI533123	SWK3PPSHTR	Brushed Bronze
LI533124	SWK3PPSHTR	Black

DIMENSIONS



LI533121 - LI533122 - LI533123 - LI533124

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

SHUTTER SWITCH

**BEYOND LIGHT..
TO THE LAST DETAILS!**



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

11192021V.1