



LED FLEXIBLE STRIP LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE STRIP LINEAR Light gives the customer the flexibility to choose between 8 models based on their specific need with lumen package from 480 lm to 900 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>95.
- Operating voltage DC24V.
- Free Cutting Size.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center


TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP65
Body Color	Yellow
Body Material	Silicon
CRI	95
Lumen	From 480 to 900lm/M $\pm$ 10%
Voltage	DC24V
Cutting Unit	Free Cutting Size
Size/Reel	5000mm/Reel
Beam Angle	140°
Dimming	Non-Dimmable
Lifespan	80000H
Switching Cycle	100000X,on/off
IEC Classification	Class III
Warranty Period	72 Months

SPECIFICATIONS

Code No.	Model No.	Power	Max.Power/Reel	Lumen	Efficacy	CCT
LI615281	ILS5LOVIST927WW01	5W/M	25W	480lm/M	96lm/W	2700K
LI615282	ILS5LOVIST930WW01	5W/M	25W	500lm/M	100lm/W	3000K
LI615283	ILS5LOVIST940NW01	5W/M	25W	530lm/M	106lm/W	4000K
LI615284	ILS5LOVIST950DL01	5W/M	25W	560lm/M	112lm/W	5000K
LI615285	ILS7LOVISTL927WW01	7.5W/M	37.5W	780lm/M	104lm/W	2700K
LI615286	ILS7LOVISTL930WW01	7.5W/M	37.5W	810lm/M	108lm/W	3000K
LI615287	ILS7LOVISTL940NW01	7.5W/M	37.5W	850lm/M	113.33lm/W	4000K
LI615288	ILS7LOVISTL950DL01	7.5W/M	37.5W	900lm/M	120lm/W	5000K

DIMENSIONS




LI615281 - LI615282 - LI615283 - LI615284 - LI615285 - LI615286 - LI615287 - LI615288

ACCESSORIES


LED FLEXIBLE LINEAR LIGHT CONNECTOR
AVAILABLE AS AN ACCESSORY

Code No.	Model No.	Body Color	Body Material
LI615278	LI615278	white	plastic
LI615279	LI615279	White	plastic
LI615280	LI615280	white	plastic


ACCESSORIES DIMENSIONS



LI615278 - Connector




LI615279 - Connector



LI615280 - Connector

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

**LED
FLEXIBLE STRIP
LINEAR LIGHT**

**BEYOND LIGHT..
TO THE LAST DETAILS!**



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.