illus
ILLUMINATION



LED PRO

Simple & Flexible Solution

LED FLEXIBLE STRIP LINEAR LIGHT

PRODUCT INFORMATION

- Excellently anti-dust LED strips with professional design to guarantee lighting performance.
- It not only ensure high quality of lighting color consistency but also protect products against from harsh environments.
- ILLUS LED FLEXIBLE STRIP LINEAR Light gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 300 lm to 370 lm.

BENEFITS

- Vivid light color.
- Less maintenance cost and less concerns.

FEATURES

- High CRI>95.
- Operating voltage DC24V.
- Free Cutting Size.

CE RoHS III

BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION

Hospitality

Shopping Center

Commercial

Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

IP Rating	IP20
Body Color	Yellow
Body Material	Silicon
Rated CRI	95
Lumen	From 300 to 370lm/M±10%
Voltage	DC24V
Cutting Unit	Free Cutting Size
Size/Reel	5000mm/Reel
Beam Angle	140°
Dimming	Non-Dimmable
Lifespan	80000H
Switching Cycle	100000X, on/off
IEC Classification	Class III
Warranty Period	72 Months

SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	Max.Power/Reel	CCT
LI615579	ILS3LOVST927WW01	3W/M	300lm/M	100lm/W	15W/Reel	2700K
LI615580	ILS3LOVST930WW01	3W/M	310lm/M	103.33lm/W	15W/Reel	3000K
LI615581	ILS3LOVST940NW10	3W/M	350lm/M	116.67lm/W	15W/Reel	4000K
LI615582	ILS3LOVST950DL10	3W/M	370lm/M	123.33lm/W	15W/Reel	5000K


DIMENSIONS




ACCESSORIES SPECIFICATIONS

Code No.	Model No.	Body Material	Body Color
LI615278	ILSLVRCO1	Plastic	White
LI615279	ILSLVRCO2	Plastic	White
LI615280	ILSLVRCO3	Plastic	White


ACCESSORIES DIMENSIONS



LI615278




LI615279



LI615280

APPLICATION PICTURE



LED FLEXIBLE STRIP
LINEAR LIGHT

BEYOND LIGHT..
TO THE LAST DETAILS!

build-station lighting stores illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958 www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

1119202IV1