

Simply **Great** LED

LED CEILING LUMINAIRE SERIES

PRODUCT INFORMATION

- Suitable for entrances, lobbies, corridors and staircases.
- Affordable, reliable and energy efficient choice.
- ILLUS LED CEILING Luminaire gives the customer the flexibility to choose between 4 models based on their specific need with lumen package from 820lm to 3400lm.

BENEFITS

- Modern, unobtrusive design.
- Saves energy.
- Wide range of applications.

FEATURES

- High CRI>95.
- Efficacy up to 88lm/W
- Long lifespan 25000H.
- Operating voltage AC100-240V.
- Non–Dimmable.
- PMMA cover & Resist UV light.

illus
illumination

BEYOND LIGHT..
TO THE LAST DETAILS!

AREAS OF APPLICATION

Hospitality

Public indoor

Shopping Center

Commercial

Workplace

Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Voltage & Frequency	AC100-240V, 50/60Hz
Beam Angle	125°
Rated CRI	95
Body Color	White
Body Material	Plastic+Steel/ PMMA Cover & Resist UV Light
Dimming	Non-Dimmable
Ambient Temperature	-20°C~40°C
IEC Classification	Class I
IP Rating	IP44
Lifespan	25000H
Switching Cycle	100000x on/off
Warranty Period	36 Months


SPECIFICATIONS

Code No.	Model No.	Power	Lumen	Efficacy	Color Temperature	Current
613994	ILS10SMCL9CCTW01	10W	820lm@3000K	82lm/W	3000K-4000K-5700K	50mA
613995	ILS16SMCL9CCTW01	16W	1400lm@3000K	87.50lm/W	3000K-4000K-5700K	80mA
613996	ILS21SMCL9CCTW01	21W	1800lm@3000K	85.71lm/W	3000K-4000K-5700K	110mA
613997	ILS40SMCL9CCTW01	40W	3400lm@3000K	85lm/W	3000K-4000K-5700K	190mA


DIMENSIONS



613994



613995



613996 - 613997

APPLICATION IMAGE



LED
CEILING LUMINAIRE
SERIES

BEYOND LIGHT..
TO THE LAST DETAILS!

illus
illumination

Carrer de la Vall de la Ballestera, 64, 46015 València, Valencia, España, Tel: +34619824456 www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.

12092021V.1