



LED IN-GROUND LUMINAIRE

PRODUCT INFORMATION

- Engineered for outdoor applications, Illus LED in-ground round luminaires provide high-efficiency illumination, excellent thermal performance, and durable weather-resistant construction for reliable, long-lasting operation."
- Designed for flush ground installation, these luminaires effectively highlight architectural features, illuminate pathways, and enhance driveway safety while maintaining a clear, obstacle-free surface.
- Engineered for dependable outdoor illumination, the LED in-ground luminaire provides up to 1850lm of luminous flux.

BENEFITS

- Utilizing advanced LED technology, the luminaire consumes up to 80–90% less energy than conventional incandescent or halogen lighting, significantly reducing operating costs.
- High LED efficiency minimizes heat generation by converting more energy into light, resulting in lower surface temperatures, enhanced safety, and reduced risk of damage to surrounding vegetation.
- Constructed from 316 stainless steel and tempered glass, the round in-ground luminaire features a high IP-rated enclosure for superior resistance to water, dust, harsh weather conditions, and pedestrian traffic.
- With its discreet round design, the luminaire complements a wide range of architectural styles and delivers precise uplighting for landscape and façade accent lighting.

FEATURES

- Flicker Free.
- High CRI $\geq$ 85.
- Energy Saving.
- IK Rating IK08.
- Non-Dimmable.
- Efficacy up to 93lm/W.
- Long Lifespan 30000H.
- Voltage Range AC220-240V.



AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Black+Silver
Body Material	Aluminum + Stainless Steel
CCT	3000K
CRI	≥85
Voltage and Frequency	AC220-240V, 50/60Hz
Beam Angle	24°
Ambient Temperature	-20°C~45°C
IP Rating	IP67
IK Rating	IK08
IEC Classification	Class I
Dimming	Non-Dimmable
Surge Protection	2kV
Lifespan	30,000H
Switching Cycle	100,000x on/off
Warranty Period	36 Months

SPECIFICATION


Code No.	Model No.	Power	Lumen	Efficacy	D.F	P.F	Current
LI615966	ILS20RMOIGLO1	20W	1850lm	92.5lm/W	0.93	0.45	190mA

DIMENSION



LI615966

APPLICATION PICTURE



This image is for display purpose only, the image may differ from the actual product, as the product is subject to modification provided without prior notice.

LED IN-GROUND LUMINAIRE

**BEYOND LIGHT..
TO THE LAST DETAILS!**



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.