



LED RECESSED LUMINAIRE (360°)

PRODUCT INFORMATION

- Illus LED recessed linear luminaire with 360° outdoor lens is a flush-mounted architectural fixture providing uniform omnidirectional outdoor illumination.
- It delivers a uniform, dot-free 360° glow, ensuring seamless omnidirectional illumination for pathways, facades, and landscape applications.
- LED recessed linear luminaire (360°) delivers consistent photometric performance with a rated luminous flux of 700lm.

BENEFITS

- The 360° beam provides uniform, shadow-free illumination for safe wayfinding and clear definition of curves and steps without glare.
- Engineered for harsh environments, with impact-resistant encapsulation protecting LEDs from UV, saltwater, and dust ingress.
- Flush-mounted design delivers a clean, modern, uninterrupted line of light that integrates seamlessly into concrete, pavers, or drywall.
- Combining LED technology with advanced optics delivers high luminous efficacy, significantly reducing power consumption versus traditional outdoor lighting.

FEATURES

- Flicker Free.
- High CRI≥85
- Energy Saving.
- IK Rating IK06.
- Non-Dimmable.
- Efficacy up to 29lm/W.
- Long Lifespan 30000H.
- Voltage Range AC220-240V.



**BEYOND LIGHT..
TO THE LAST DETAILS!**

AREAS OF APPLICATION



Hospitality



Shopping Center



Commercial



Educational Center




TECHNICAL OPERATING & ELECTRICAL DATA

Body Color	Black+Silver
Body Material	Aluminum + Stainless Steel
CCT	3000K
CRI	≥85
Voltage and Frequency	AC220-240V, 50/60Hz
Beam Angle	360° Effect (5°×115°)
Ambient Temperature	-20°C~45°C
IP Rating	IP66
IK Rating	IK06
IEC Classification	Class I
Dimming	Non-Dimmable
Surge Protection	4kV
Lifespan	30,000H
Switching Cycle	100,000x on/off
Warranty Period	36 Months


SPECIFICATION

Code No.	Model No.	Power	Lumen	Efficacy	D.F	P.F	Current
LI615968	ILS24WDLL01	24W	700lm	29.16lm/W	0.96	0.45	220mA

DIMENSION



LI615968



LED RECESSED LUMINAIRE (360°)

BEYOND LIGHT..
TO THE LAST DETAILS!



build-station



lighting stores



illus lighting

C/ Cuenca, 87, Alaquas 46970, (Valencia) Spain, Ph. 34 961 623 958

www.illusillumination.com

illus illumination reserve the right to make dimensional, design and technical alternations without prior notice. illus illumination endeavor to ensure that any advice, recommendation or information it provides in product literature is accurate and correct. However due to the fact that illus do not have direct control on where and how the products are installed, illus illumination cannot accept any liability either direct or indirect arising from the use of illus products whether or not in accordance with any advice, specification, recommendation or information provided by illus illumination or its distributors.